

Clinical Case Report



**Limb Salvage
&**



bio-ConneKt[®]
Wound Matrix

Limb Salvage

A Case Report

*Michael Bednarz, DPM, FACFAS,
Ankle & Foot Centers of Georgia, Atlanta, GA.*

ABSTRACT

A 67 year-old male with a trans-metatarsal amputation (TMA) incision site dehiscence was presented for a second opinion. He was presented earlier to a vascular surgeon with discoloration of his toes. Vascular examination revealed a completely blocked popliteal artery. He underwent a femoral-popliteal bypass grafting subsequent to a TMA. Failure of the surgical site to close, combined with the patient's history of CAD, PVD, insulin-dependent diabetes and infection prompted a below knee amputation (BKA) recommendation, when the patient was initially presented for a second opinion.

In order to facilitate wound closure, the **bio-Connekt® Wound Matrix**, a FDA-cleared ECM-based advanced wound care dressing, was used as a treatment option. The **bio-Connekt® Wound Matrix** is engineered to help close chronic wounds in combination with standards of care by meeting the challenges presented in a diabetic wound microenvironment. After aggressive sharp debridement, the product was secured to the wound that measured 2.7 x 2 x 0.3 cm. In 6 weeks, complete wound closure with full epithelialization was achieved. A combination of diabetic and pressure wound poses a even more demanding physiological environment for healing to occur. The mechanical and biochemical attributes of the **bio-Connekt® Wound Matrix** enabled optimal maintenance of the wound bed in a healing mode.

HISTORY

Past Medical History: Patient medical history was positive for Insulin Dependent Diabetes Mellitus, CAD, PVD, and former smoker. Occluded popliteal artery resulted in gangrenous forefoot. A Fem-Pop bypass grafting and TMA was performed. TMA surgical site dehiscd and BKA was recommended.

PE includes: Severe ulceration of fore foot with central and lateral wound. Wounds were present to the level of fascia and bone was exposed on the lateral edge of central wound. Pedal pulses were +1 for DP and PT, capillary refill was delayed to 6 secs. Full loss of protective sensation in b/l foot.

Central Wound: 7 x 2 x 0.5 cm

Lateral Wound: 2 x 1 x 0.3 cm



Initial Wound Presentation

TREATMENT

Surgical procedure: Initially, patient underwent aggressive debridement, hemostasis and wound VAC application in OR. VAC was discontinued after 2 weeks due to lack of response. On day of procedure, wound was excisional debrided (including bone end), and bio-ConneKt® Wound Matrix was trimmed to fit wound and secured with Steri-Strips. Soft cast/Unna boot application followed.

Dressing changes were performed weekly, and included replacing Steri-Strips and Unna boot as needed. At 1 week post-procedure, the bio-ConneKt Wound Matrix was adhered and seeding into the wound bed. Peri-wound inflammation considerably subsided.

8 weeks: There was 90% resolution of the wound. Local wound care with alginate and dressing performed.

15 weeks: Complete wound closure with epithelialization achieved.

Day 0 – Procedure Day



1 week



8 weeks



15 weeks – Full Closure

Dr. Bednarz's concluding remarks:

" This patient was recommended a BKA in light of his wound and vascular status. With aggressive excisional debridement and wound care with immediate application of a collagen dressing, we were able to save the limb. The availability of bio-ConneKt® Wound Matrix was key in avoiding amputation, and this patient now (>1 yr) enjoys a normal life. "

bio-ConneKt® Wound Matrix

5 Differentiating Features

The bio-ConneKt® Wound Matrix is a next generation, all biologic, FDA 510(k) cleared wound dressing. It is comprised of reconstituted Type I collagen that is stabilized, sterilized to SAL 10^{-6} , and stored at room temperature.



Hydrophilic scaffold to facilitate rapid fluid absorption (0.5cc per sq. cm. of surface area)



Stabilized collagen to prevent premature digestion in wound bed



Porous matrix to enable optimal host cell infiltration



Easily conformable to ensure maximum contact with wound bed



Material designed to minimize repeat applications

MLM Biologics, Inc.
606 SW 3rd Ave
Gainesville, FL 32601 USA
Tel.844-4-MLM-BIO
Fax.844-465-6246
www.mlmbiologics.com

bio-ConneKt® is a registered trademark of MLM Biologics Inc.

Steri-Strip is a registered trademark of 3M, Inc.

Caution: Federal law restricts sale of this device by or on the order of a physician

For additional information and/or product support, email customerservice@mlmbiologics.com. or call 844-4-MLM-BIO

More for Less for Many

PN-90-008-4-B (07/2019)